Notice of Allowability	Application No.	Applicant(s)
	10/647,617	SERVILIO ET AL.
	Examiner	Art Unit
	Emmanuel Bayard	2611
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. A This communication is responsive to communication filed on 1/5/07.		
2. The allowed claim(s) is/are <u>1-25</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5 	
 Notice of References Cited (PTO-892) Dotice of Draftperson's Patent Drawing Review (PTO-948) 	5. Notice of Informal Pa	
<u> </u>	 Interview Summary Paper No./Mail Date 	e
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 	7. Examiner's Amendm	nent/Comment
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	8. Examiner's Stateme	nt of Reasons for Allowance
	9.	
		ļ

Application/Control Number: 10/647,617 Page 2

Art Unit: 2611

DETAILED ACTION

This is in response to amendment filed on 1/5/07 in which claims 1-25 are pending. The applicant's arguments have been fully considered therefore this case is in condition for allowance.

Allowable Subject Matter

1. The following is an examiner's statement of reasons for allowance: the prior arts of record fail to anticipate or render obvious the following recited features: Comparing an expected value for at least one of said aspects of said electromagnetic wave along at least one of said signal paths with an actual value for said aspect of said electromagnetic wave along said at least one signal path to generate a correction signal; and applying said correction signal to at least one other aspect of said electromagnetic wave as recited in claim 1. Comparing said actual phase value with an expected phase value to determine any delay in an analog portion of said phase path in relation to said amplitude path; generating a correction signal based upon said comparison; and using said correction signal to adjust said amplitude aspect of said signal as recited in claim 10. Comparing said digital value with an expected value to determine any delay in an analog portion of said signal path relative to said separate signal path, generating a correction signal based upon said comparison, and using said correction signal to adjust said other aspect of said signal as recited in claim 15. A digital phase locked loop for comparing said value with an expected value to determine any delay in an analog portion of said one signal path relative to said separate signal

Art Unit: 2611

path, and to generate a correction signal based upon said comparison; and a bank of pipeline registers for adjusting said separate signal path as recited in claim 23.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

2. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Camp, Jr et al U.S. Patent No 6,295,442 B1 teaches an amplitude modulation to phase modulation.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Emmanuel Bayard whose telephone number is 571 272 3016. The examiner can normally be reached on Monday-Friday (7:Am-4:30PM) Alternate Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jay Patel can be reached on 571 272 2988. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2611

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Emmanuel Bayard Primary Examiner Art Unit 2611

3/30/07

EMMANUEL BAYARD